

CITY OF LAS VEGAS
CITY OF HENDERSON
AMENDMENTS TO THE

2021 INTERNATIONAL WILDLAND-
URBAN INTERFACE CODE



Table of Contents

101.2.1	3
302.2.....	3
302.3.....	3
404.5.....	3
405.1.....	3

INTERNATIONAL WILDLAND-URBAN INTERFACE CODE

101.2.1

Revise as follows

101.2.1 Appendices. Provisions in the appendices shall not apply unless specifically adopted. The following appendices are hereby adopted with this code:

Appendix A General Requirements
Appendix B Vegetation Management Plan
Appendix C Fire Hazard Severity Form

302.2

Revise as follows

302.2 Mapping. Any areas identified by the *code official* as *wildland-urban interface areas* shall be recorded on maps available for inspection by the public or made available to the public through an electronic mapping format.

Exception: The requirement for a map is waived if your fire department's published community risk assessment (CRA) does not identify any wildland-urban interface areas.

302.3

Revise as follows

302.3 Review of wildland-urban interface areas. Whenever new fire and building codes are adopted, the *code official* shall reevaluate and recommend modification to the *wildland-urban interface areas* in accordance with Section 302.1.

404.5

Revise as follows

404.5 Adequate water supply. Water supply shall be provided in accordance with the *International Fire Code* as adopted.

405.1

Revise as follows

405.1 General. Where a project includes a Vegetation Management Plan in accordance with Section 502.2 or where otherwise where required by the *code official*, a fire protection plan shall be prepared.