

SOUTHERN NEVADA BUILDING OFFICIALS  
REGIONAL STANDARDS

B-110  
7-7-14  
PG. 1 OF 1



SWIMMING POOL SITE DETAILS

Clark County  
Dept. of Building & Fire Prevention  
4701 W Russell Rd  
Las Vegas, NV 89118  
(702) 455-3000

Boulder City  
Building Department  
401 California Avenue  
Boulder City, NV 89005  
(702) 293-9282

Henderson  
Bldg & Fire Safety Dept.  
240 Water Street  
Henderson, NV 89015  
(702) 267-3650

Las Vegas  
Building & Safety Dept.  
333 N. Rancho Drive  
Las Vegas, NV 89106  
(702) 229-6251



SELF LATCHING.  
THIS GATE SHALL  
OPEN OUTWARD.

GATE LATCHES SHALL BE AT LEAST 4' ABOVE EXTERIOR GRADE, MOUNTED ON THE INSIDE, AND NOT WITHIN 6" OF THE TOP OF THE GATE. THE GATE SHALL BE A MIN. 5' HIGH. THE LATCH SHALL BE PROTECTED FROM ACCESS FROM THE EXTERIOR BY A RIGID PANEL 20" SIDES AND BOTTOM OF THE LATCH. TO THE

Mesquite  
Building Department  
10 East Mesquite Blvd.  
Mesquite, NV 89027  
(702) 346-2835

North Las Vegas  
Building Department  
2250 Las Vegas Blvd. N  
N. Las Vegas, NV 89030  
(702) 633-1577

Pahrump  
Building & Fire Safet Dept.  
250 N Hwy 160 Suite #3  
Pahrump, NV 89060  
(775) 751-3373