



TENANT IMPROVEMENT WATER PIPE SIZING

www.LasVegasNevada.gov/BuildingPermits

Phone: (702) 229-6251

PLUMBING PLANS REQUIRE CALCULATIONS AND/OR STATEMENT INFORMATION TO BE INCLUDED

The CLV's current plumbing code determines the qualification water pipe sizing. The plans must include all supporting information including minimum site pressure, water main size, meter, RPPA size, fixture count and distance to the most remote water fixture from the water meter.

EXCEPTIONS:

1. Any T.I. (Tenant Improvement) plan showing 10 Water Supply Fixture Units or LESS as determined by the CLV currently adopted Uniform Plumbing Code will not require supporting information on the plans, provided the signed responsibility statement, (signed by Nevada Registered Engineer, Design Professional or Contractor) below is attached to the plans.
2. Either A or B.
 - a. Any T. I. over 10 Water Supply Fixture Units as determined by the CLV currently adopted Uniform Plumbing Code will require a Nevada Registered Engineer or Design Professional to certify that the existing water supply system for the building will meet or exceed the minimum requirements as determined by the City of Las Vegas currently adopted Uniform Plumbing Code Chapter 6 or Appendix A for water pipe sizing of the T. I. being submitted and the existing T.I.'s already connected to the common water supply, provided the responsibility statement below is signed by a Nevada Registered Engineer or Design Professional and attached to the plans.

-OR-

- b. Any T. I. over 10 Water Supply Fixture Units as determined by the CLV currently adopted Uniform Plumbing Code will require the Nevada Registered Engineer, Design Professional or Contractor to provide plans with the water pipe sizing qualified by the required supporting information on the plans: minimum site pressure, water main size, meter and RPPA size, fixture count and distance to the most remote water fixture from the water meter. The method of sizing, either Table 610.3 water supply fixture units, Table 610.4 meter and street service building supply or Appendix A, shall also be included on the plans. See [Water Supply System Sizing](#) form for assistance.

I certify that the existing water supply system for the building will meet or exceed the minimum requirements in the City of Las Vegas currently adopted Uniform Plumbing Code requirements for the fixtures installed in the proposed T. I. and all other tenant fixtures currently installed in

PRINT NAME AND COMPANY OR STAMP AND SIGNATURE